# צמוד תקרה לבן CLICK 40W WH 40cm IP65 3CCT




צמוד תקרה איכותי בדרגת אטימות IP65. התקנה קלה ונוחה בקליק, איכות אורית גבוהה, בעל הילת אור על התקרה. ייעודי להתקנה בכל סוגי החללים - פנים וחוץ כאחד. להארה בבתים, מוסדות, בתי מלון ועוד.

מק"ט - 17700012


דגם - EW-X09-40W-White-CCT3

קישור לדף מוצר ואביזרים נלווים באתר

- מתאים לדרישות התקן הישראלי
- IK08
- IP65
- CLASS2
- אייקון של 220-240 וולט 50-60 הרץ
- מוצר בדרגת VALUE
- 3 שנות אחריות





# DIMENSIONS & WEIGHT

| | |
|---|---|
| Height | 55mm |
| Diameter | 400mm |
| Product weight | 1050g |

# MATERIALS & COLORS

| | |
|---|---|
| Cable surface [mm2] | white |
| Protection class IEC 62262 | ABS |
| Cover material | milky |
| Lens material | PP |

# ELECTRICAL DATA

| | |
|---|---|
| Nominal wattage | 43W |
| Nominal current | 0.7A |
| Nominal voltage | 220-240V |
| Mains frequency | 50/60Hz |
| Protection class | Class 2 |
| Operating mode | Internal LED driver |
| Driver manufacturer | Integrated |
| Power factor | 0.9 |
| Dimmable mode | No |

# CERTIFICATES & STANDARDS

| | |
|---|---|
| Nisko Class | VALUE 3 Years |
| Israeli Standard | Ta=35°C<br>IS 20-1<br>IS 20-2-1 |
| CB | IEC 60598-1<br>IEC 60598-2-1<br>IEC 61347-1<br>IEC 62031 |
| CE | IEC 60598-1<br>IEC 60598-2-1<br>IEC 61347-1<br>IEC 62031<br>IEC 62493 |
| Photobiological Safety | IEC 62778 RG0 (Exempt) |
| EMC | IEC 55015<br>IEC 61000-3-2<br>IEC 61000-3-3<br>IEC 61547 |
| LM80 | ✓ |
| IP 60529 | IP65 |

# APPLICATION & MOUNTING

| | |
|---|---|
| Ambient temperature range | -12...+45°C |

# PERFORMANCE

| | |
|---|---|
| Lifespan (Hr) | 30000Hrs |

# PHOTOMETRIC DATA

| | |
|---|---|
| Luminous efficacy | 103Lm/W |
| Luminous flux | 3950/4450/4300Lm |
| CCT | 3000/4000/6500K |
| CRI | >80 |
| LED manufacturer | MLS |
| Chip type | SMD 2835 |
| Beam angle | 120° |
| CIE class | Direct |
| Efficiency | 100% |


www.niskoelec.com < info@niskoelec.com < 072-2400-600 > קבוצת ניסקו בע"מ > המעיין 41, מודיעין >