# פאנל על הטיח שחור CLOCK 32W 40CM 3CCT



סדרת צמודי תקרה בעיצוב דק וביעילות אורית גבוהה 100Lm/W. אפשרות לשינוי גוון האור - חם, קר או ניטרלי. דרייבר איכותי ללא ריצוד, בסיס PC וכיסוי פרוסט מונע סנוור. התקנה קלה ונוחה בקליק על ידי סיבוב, וללא צורך בפתיחת הגוף.
להארה בחדרי מגורים, משרדים, שטחים מסחריים, מבואות, תאורה כללית ועוד.

מק"ט - 17700058
דגם - EW-X12-32W-BLACK-CCT3
קישור לדף מוצר ואביזרים נלווים באתר

2 YEAR GUARANTEE | 220-240V 50-60Hz | IP40 | IK07 | מתאים לדרישות התקן הישראלי



| DIMENSIONS & WEIGHT | מידות ומשקל |
|---|---|
| Height | 25mm |
| Diameter | 400mm |
| Product weight | 1100g |

| MATERIALS & COLORS | מבנה וגימור |
|---|---|
| Product color | Black matte |
| Body material | ABS |
| Protection class IEC 62262 | IK07 |
| Cover finishing | milky |
| Cover material | PS |

## ELECTRICAL DATA נתונים חשמליים

| | |
|---|---|
| Nominal wattage | 32W |
| Nominal current | 0.14A |
| Nominal voltage | 220-240V |
| Mains frequency | 50/60Hz |
| Protection class | Class 2 |
| Operating mode | Internal LED driver |
| Driver manufacturer | Integrated |
| Dimmable mode | No |

## CERTIFICATES & STANDARDS תקנים

| | |
|---|---|
| Nisko Class | ECO 2 Years |
| Israeli Standard | Ta=35°C<br>IS 20-1<br>IS 20-2-1 |
| CB | IEC 60598-1<br>IEC 60598-2-1<br>IEC 61347-1<br>IEC 61347-2-13<br>IEC 62031<br>IEC 62493 |
| CE | IEC 60598-1<br>IEC 60598-2-1<br>IEC 61347-1<br>IEC 61347-2-13<br>IEC 62031<br>IEC 62493 |
| Photobiological Safety | IEC 62778 RG0 (Exempt) |
| EMC | IEC 55015<br>IEC 61000-3-2<br>IEC 61000-3-3<br>IEC 61547 |
| IP 60529 | IP40 |
| Protection class IK 62262 (shock resistance) | IK07 |
| Green Building | RoHS |
| ISO 9001 | √ |

## APPLICATION & MOUNTING יישומים

| | |
|---|---|
| Application environment | Indoor |
| Mounting type | Surface |
| Mounting location | Ceiling |
| Type of protection | IP40 |
| Ambient temperature range | -10...+45°C |

## PERFORMANCE ביצועים

| | |
|---|---|
| Lifespan (Hr) | 25000Hrs |

## PHOTOMETRIC DATA אופטיקה

| | |
|---|---|
| Luminous efficacy | 100Lm/W |
| Luminous flux | 3200Lm |
| CCT | 300/4000/6500K |
| CRI | >82 |
| LED manufacturer | MLS |
| Chip type | SMD 2835 |
| Beam angle | 120° |
| Efficiency | 100% |


www.niskoelec.com < info@niskoelec.com < 072-2400-600 < מודיעין < 41, המעיין < קבוצת ניסקו בע"מ