# צמוד קיר / תקרה אפור כהה TRUMPET
# LUTEC 11W IP54 אור ניטרלי



גוף תאורה של חברת LUTEC מבית ניסקו. משמש כמנורת קיר עם ראש מתכוונן. זווית הארה, המדגישה את החלל המואר בתאורת לד עוצמתית וביעילות אורית גבוהה של 100Lm/W. גוף אלומיניום וכיסוי זכוכית שקופה. התקנה נוחה וקלה. להארה בהיקפי מבנה, כניסות, מרפסות, גינות, מבואות ועוד.

מק"ט - 71510005

דגם - 5626001118

קישור לדף מוצר ואביזרים נלווים באתר

- מתאים לדרישות התקן הישראלי
- IP54
- CLASS1
- אייקון של 220-240 וולט 50-60 הרץ
- מוצר בדרגת VALUE
- 5 שנות אחריות









# DIMENSIONS & WEIGHT

| | |
|---|---|
| Height | 88mm |
| Diameter | 93mm |
| Product weight | 500g |

# MATERIALS & COLORS

| | |
|---|---|
| Cable surface [mm2] | dark gray |
| Protection class IEC 62262 | aluminum |
| Cover material | Clear |
| Lens material | glass |

# ELECTRICAL DATA

| | |
|---|---|
| Nominal wattage | 9.5W |
| Nominal current | 0.06A |
| Nominal voltage | 220-240V |
| Mains frequency | 50/60Hz |
| Protection class | Class 1 |
| Operating mode | Internal LED driver |
| Driver manufacturer | Integrated |
| Power factor | >0.70 |
| Dimmable mode | No |

# CERTIFICATES & STANDARDS

| | |
|---|---|
| Nisko Class | VALUE 5 Years |
| Israeli Standard | Ta=25°C<br>IS 20-1<br>IS 20-2-1 |
| CB | IEC 60598-1<br>IEC 60598-2-1<br>IEC 62031<br>IEC 62493 |
| Photobiological Safety | IEC 62471 RG0 (Exempt)<br>IEC 62778 RG0 (Exempt) |
| IP 60529 | IP54 |
| Green Building | ISO 14001 |

# APPLICATION & MOUNTING

| | |
|---|---|
| Ambient temperature range | -20...+50°C |

# PERFORMANCE

| | |
|---|---|
| Lifespan (Hr) | 30000Hrs |

# PHOTOMETRIC DATA

| | |
|---|---|
| Luminous efficacy | 100Lm/W |
| Luminous flux | 950Lm |
| CCT | 4000K |
| CRI | >80 |
| LED manufacturer | EVERLIGHT |
| Chip type | SMD 2835 |
| Beam angle | 108° |
| Efficiency | 100% |


www.niskoelec.com < info@niskoelec.com < 072-2400-600 < קבוצת ניסקו בע"מ > המעיין 41, מודיעין >