שקוע לד לבן TOMMY 8-10-12W IP65 3CCT



גוף אחד – אינסוף אפשרויות. כשחדשנות ועיצוב מתחברים – נולד הפתרון המושלם לכל חלל. גוף תאורה בעיצוב נקי עם שוליים דקים במיוחד, המשתלבים בהרמוניה עם התקרה ליצירת מראה אלגנטי ומוקפד. הגוף מצויד בדרייבר חיצוני איכותי, המאפשר שליטה נוחה וגמישה בשלושה הספקים שונים ובשלושה גווני אור לבחירה 2700K / 3000K / 4000K, להתאמה מדויקת לצרכים משתנים וליצירת האווירה הרצויה בכל חלל. דרגת האטימות הגבוהה IP65 מאפשרת שימוש אמין ובטיחותי גם בחללים רטובים או מאובקים לאורך זמן. מתאים להתקנה בהנמכת גבס ולהארת מסדרונות, חדרי מגורים, חללים ציבוריים ומסחריים.

מק"ט - 71608021

דגם - 11812R 8-10-12W IP65 CRI90 38° 3CCT White

קישור לדף מוצר ואביזרים נלווים באתר

5 YEAR GUARANTEE | PRO | 220-240V 50-60Hz | IP20 IP65 | מתאים להדרישות התקן הישראלי







DIMENSIONS & WEIGHT — מידות ומשקל

Height	76mm
Diameter	82mm
Product weight	290g
Cut hole diameter	75mm

MATERIALS & COLORS — מבנה וגימור

Product color	white
Body material	aluminum
Cover finishing	Clear
Cover material	PMMA
Lens material	PC

ELECTRICAL DATA נתונים חשמליים

Nominal wattage	8/10/12W
Nominal current	0.1A
Nominal voltage	220-240V
Mains frequency	50/60Hz
Protection class	Class 2
Operating mode	External LED driver
Driver manufacturer	ZHENGYUAN
Driver model	ZY-PNP012GZS0300-A233
Driver output current	300mA
Power factor	>0.54
THDi	<15%
Output ripple current	≤1%
Inrush current	30A
Inrush current time T_{h50}	350μs
Dimmable mode	No

CERTIFICATES & STANDARDS תקנים

Nisko Class	PROFESSIONAL 5 Years
Israeli Standard	Ta=35°C IS 20-1 IS 20-2-2
CE	IEC 60598-1 IEC 60598-2-2 IEC 61347-1 IEC 61347-2-13 IEC 62031
Photobiological Safety	IEC 62778 RG0 (Exempt)
EMC	IEC 55015 IEC 61000-3-2 IEC 61000-3-3 IEC 61547
LM80	√
IP 60529	IP20/IP65
ISO 9001	√

APPLICATION & MOUNTING יישומים

Application environment	Indoor
Mounting type	Recessed
Mounting location	Ceiling
Type of protection	IP20/IP65
Ambient temperature range	-10...+35°C

PERFORMANCE ביצועים

Lifespan (Hr)	30000Hrs

PHOTOMETRIC DATA

אופטיקה

Luminous efficacy	90Lm/W
Luminous flux	1080Lm
CCT	2700/3000/4000K
CRI	>90
LED manufacturer	Greatshine
Chip type	COB
Beam angle	36°
CIE class	Direct
Efficiency	100%

www.niskoelec.com < info@niskoelec.com < 072-2400-600 < קבוצת ניסקו בע"מ > המעיין 41, מודיעין >