# צמוד קיר שחור SYLVANIA UP&DOWN
# 38W IP65 אור ניטרלי




צמודי קיר לד UP&DOWN בעיצוב אלגנטי לתאורת חוץ תוצרת SYLVANIA העולמית. הארה מיטבית בשני כיוונים - כלפי מעלה וכלפי מטה. חוזק מכני IK08 ודרגת אטימות IP65. יעילות אורית גבוהה, להבטחת חיסכון בצריכת חשמל. להארת היקפי מבנה, חזיתות מבנים, עמודים, חומות, מרפסות ועוד.


מק"ט - 75514004

דגם - ZB703FMD

קישור לדף מוצר ואביזרים נלווים באתר

- מתאים לדרישות התקן הישראלי
- IK08
- IP65
- CLASS1
- אייקון של 220-240 וולט 50-60 הרץ
- מוצר בדרגת PRO
- 5 שנות אחריות






# DIMENSIONS & WEIGHT

| | |
|---|---|
| Width | 168mm |
| Height | 226mm |
| Diameter | 144mm |
| Product weight | 2950g |

# MATERIALS & COLORS

| | |
|---|---|
| Cable surface [mm2] | black |
| Protection class IEC 62262 | aluminum |
| Cover finishing | IK08 |
| Cover material | Clear |
| Lens material | PC |

# ELECTRICAL DATA

| | |
|---|---|
| Nominal wattage | 38W |
| Nominal current | 0.18A |
| Nominal voltage | 220-240V |
| Mains frequency | 50/60Hz |
| Protection class | Class 1 |
| Operating mode | Internal LED driver |
| Driver manufacturer | GALOPPATO |
| Driver model | GLP40WR1A-P |
| Driver output current | 1000mA |
| Power factor | >0.91 |
| Dimmable mode | No |

# CERTIFICATES & STANDARDS

| | |
|---|---|
| Nisko Class | PROFESSIONAL 5 Years |
| Israeli Standard | Ta=35°C<br>IS 20-1<br>IS 20-2-1 |
| CB | IEC 60598-1<br>IEC 60598-2-1<br>IEC 61347-1<br>IEC 61347-2-13<br>IEC 62031 |
| Photobiological Safety | IEC 62778 RG0 (Exempt) |
| EMC | IEC 55015<br>IEC 61000-3-2<br>IEC 61000-3-3<br>IEC 61547 |
| LM80 | ✓ |
| TM21 | √ Ta=35°C |
| IP 60529 | IP65 |
| Protection class IK 62262 (shock resistance) | IK08 |
| ISO 9001 | ✓ |

# APPLICATION & MOUNTING

| | |
|---|---|
| Ambient temperature range | -30...+35°C |

# PERFORMANCE

| | |
|---|---|
| Lifespan (Hr) | 54000Hrs |
| TM21 | √ Ta=35°C |
| Lifespan L70 | >60000Hrs |
| Lifespan L80 | >60000Hrs |
| Lifespan L90 | >60000Hrs |

# PHOTOMETRIC DATA

| | |
|---|---|
| Luminous efficacy | 88Lm/W |
| Luminous flux | 3350Lm |
| CCT | 4000K |
| CRI | >80 |
| LED manufacturer | CREE |
| Chip type | COB |
| Beam angle | 82° |
| Efficiency | 100% |


www.niskoelec.com < info@niskoelec.com < 072-2400-600 < מודיעין 41, המעיין < קבוצת ניסקו בע"מ